



4.75 in

PRODUCT INFO


Barcode Area
No HR for 128 codes


BLUE #:	100452A	Product Name:	StandGuard Pour on Insecticide
Item Code:	YL100452C	Country:	United States
Product Code:	AH0943		
Previous Item Code	YL085636AMA	Component:	Label (Front / Single)
A DTWODY INFO		Pack Size:	30oz
ARTWORK INFO			
Template:	D7028A_3_5x4_75in_v2	Packaging Spec(s):	D7028A
Barcodes/Type:	N/A	Add. Info:	N/A
		Minimum Core Data Po	int Size: 6 pt
GTIN:	N/A	Proof # P2b By/I	Date MG / 21-AUG-2017
NON PRINTING CYAN	MAGENTA YELLOW	BLACK BLACK 2	PMS 485 C

ELANCO ARTWORK LEGEND v12



Elanco Template Legend with Key v





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE: No dilution necessary. Do not apply to lactating or dry dairy cows. Do not apply this product to the face of beef cattle and calves.

Apply to	Target Insect	Dosage
Beef cattle	Horn flies, lice	Apply product along the backline at the rate of: More than 600 lbs: 15 mLs (½ fl. oz.) Less than 600 lbs: 10 mLs (⅓ fl. oz.)

4.75"

For horn flies, repeat treatment as needed, however do not apply more than once every two weeks and do not apply more than four times within any 6-month period.

SPECIAL NOTE: StandGuard pour-on Insecticide is not recommended for veal calves. StandGuard pour-on Insecticide is not effective in controlling cattle grubs. Therefore, this product can be used on cattle at any time of the year without fear of

host-parasite reactions commonly associated with grub treatments. StandGuard pour-on Insecticide should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices. Continual exposure of horn flies to a single class of insecticide (eg. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs, your Cooperative Agricultural Extension agent or your Elanco US Inc. representative at 1-800-428-4441.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Notice: Shake well before use. Avoid freezing.

Pesticide Storage:

Store in original container, tightly closed, in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Nonrefillable container. Do not reuse or

refill this container. Offer for recycling, if

must be disposed of on site or at an

approved waste disposal facility. Triple

or, if allowed by state and local

out of smoke.

rinse empty container. Then dispose of

authorities, by burning. If burned, stay

empty bag/container in a sanitary landfill,

Containe Disposal:

Clean container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Wastes resulting from the use of this product

TERMS AND CONDITIONS OF USE

If terms of the following Warranty
Disclaimer, Inherent Risks of Use and
Limitation of Remedies are not
acceptable, return unopened package at
once to the seller for a full refund of
purchase price paid. Otherwise, use by
the buyer or any other user constitutes
acceptance of the terms under Warranty
Disclaimer, Inherent Risks of Use and
Limitation of Remedies.


WARRANTY DISCLAIMER


Elanco warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below.

4.75"


ELANCO US INC. MAKES NO OTHER EXPRESSED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Base Label









DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE: No dilution necessary. Do not apply to lactating or dry dairy cows. Do not apply this product to the face of beef cattle and calves.

Apply to	Target Insect	Dosage
Beef cattle	Horn flies, lice	Apply product along the backline at the rate of: More than 600 lbs: 15 mLs (½ fl. oz.) Less than 600 lbs: 10 mLs (⅓ fl. oz.)

For horn flies, repeat treatment as needed, however do not apply more than once every two weeks and do not apply more than four times within any 6-month period.

SPECIAL NOTE: StandGuard pour-on Insecticide is not recommended for veal calves. StandGuard pour-on Insecticide is not effective in controlling cattle grubs. Therefore, this product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatments. StandGuard pour-on Insecticide should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices. Continual exposure of horn flies to a single class of insecticide (eq. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with

Page 2 4.375 in

Available Txt. Area

4.125 in X 5.5 in

relation to specific local conditions, consult resources in resistance management programs, your Cooperative Agricultural Extension agent or your Elanco US Inc. representative at 1-800-428-4441.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Notice: Shake well before use. Avoid freezing.

age	
llong the rate of: 0 lbs: 15 mLs	
) lbs: 10 mLs	

Pesticide Store in original container, tightly closed, in a Storage: secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Container Nonrefillable container. Do not reuse or refill this

Disposal: container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Triple rinse empty container. Then dispose of empty bag/container in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Page 3 4.25 in

Available Txt. Area

4 in X 5.5 in

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

WARRANTY DISCLAIMER

Elanco warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. ELANCO US INC. MAKES NO OTHER EXPRESSED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with the use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors which are beyond the control of Elanco US Inc. or the seller. All such risks are assumed by the buyer.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Elanco US Inc.'s election, one of the following:

> Page 4 4.25 in Available Txt. Area

4 in X 5.5 in

- (1) Refund of purchase price paid by the buyer or user of the product bought, or
- (2) Replacement of the amount of product used

Elanco US Inc. shall not be liable for losses or damages resulting from the handling or use of this product unless Elanco US Inc. is promptly notified of such loss or damage in writing. To the extent permitted by law, Elanco US Inc. shall not be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Elanco US Inc. or the seller is authorized to vary or exceed the terms of Warranty Disclaimer of this Limitation of Remedies in any manner.

6 in

Page 5 4.25 in

Available Txt. Area

4 in X 5.5 in

YL100452A

Base Label





